



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/718,690	11/24/2003	John C. Marshall	6247.450	1279

7590 07/27/2007
Joseph W. Berenato, III
Liniak, Berenato & White, LLC
Suite 240
6550 Rock Spring Drive
Bethesda, MD 20817

EXAMINER

CHIN, RANDALL E

ART UNIT	PAPER NUMBER
----------	--------------

1744

MAIL DATE	DELIVERY MODE
-----------	---------------

07/27/2007

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

10/718,690

Applicant(s)

MARSHALL, JOHN C.

Examiner

Randall Chin

Art Unit

1744

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 12 June 2007.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-26 is/are pending in the application.
- 4a) Of the above claim(s) 24 and 25 is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 26 is/are rejected.
- 7) ☒ Claim(s) 1-23 is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date 06122007.
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____.
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: _____.

DETAILED ACTION

Claim Objections

1. Claims 1, 4, 13 and 26 are objected to because of the following informalities:

Claim 1, line 4, "passageway" should read --passage-- for consistency purposes.

Claim 4, line 2, it is suggested to change the terms "wall" to --surface-- (both occurrences) for consistency purposes with the specification. See particularly, reference numerals 30, 32 designating first and second inner surfaces on p. 4, lines 9-10.

Appropriate correction should also be made back in claim 2 on this issue.

Claim 13, the recitation that said "dust gutter extends outwardly from" is redundant of that already recited back in claim 1 at line 7.

Claim 26, line 4, "passageway" should read --passage-- for consistency purposes.

Claim 26, line 7, "passageway" should read --passage-- for consistency purposes.

Appropriate correction is required.

Claim Rejections - 35 USC § 103

2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

3. Claim 26 is rejected under 35 U.S.C. 103(a) as being unpatentable over Restivo D296,022 in view of Harris et al. 5,235,722 (hereinafter Harris).

Restivo D296,022 discloses a fan blade cleaning tool in Figs. 1-5 comprising a housing having at least one opening and a passage extending from said at least one opening into said housing for receiving a fan blade, first and second cleaning pads disposed inside said passage, said first and second cleaning pads having first and second planar cleaning surfaces, respectively, for contacting opposing sides of fan blade when the fan blade is moved through said passage, and said first and second cleaning pads arranged with substantially no gap **at right and left ends shown in front view in Fig. 1** between said first and second planar cleaning surfaces so that the fan blade deforms the first and second cleaning pads when inserted therebetween. Restivo D296,022 discloses all of the recited subject matter as set forth above with the exception of a dust gutter disposed adjacent to said at least one opening and extending outwardly therefrom so that force from said first and second cleaning pads removes dust from the fan blade and the removed dust falls into said dust gutter.

The patent to Harris discloses a fan blade cleaning tool comprising a dust receptacle or gutter 17 that extends outwardly (Figs. 1 and 3; col. 2, lines 17-21). It would have been obvious to one of ordinary skill in the art to have provided the Restivo D296,022 tool with a dust gutter that extends outwardly as taught by Harris for the purpose of collecting dust removed by the tool when cleaning a fan blade as well as

preventing dust from falling on an operator.

Allowable Subject Matter

4. Claims 1-23 would be allowable if rewritten or amended to overcome the above objections set forth in this Office action.

Conclusion

5. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).


A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Art Unit: 1744

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Randall Chin whose telephone number is (571) 272-1270. The examiner can normally be reached on Monday through Thursday and every other Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gladys Corcoran can be reached on (571) 272-1214. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.



Randall Chin
Primary Examiner
Art Unit 1744